

Distributed Local Data Structure for Parallel Computation

- Distributed local data structure for domain-to-domain communications has been introduced, which is appropriate for such applications with sparse coefficient matrices (e.g. FDM, FEM, FVM etc.).
 - SPMD
 - Local Numbering: Internal pts to External pts
 - Generalized communication table
- Everything is easy, if proper data structure is defined:
 - Values at boundary pts are copied into sending buffers
 - Send/Recv
 - Values at external pts are updated through receiving buffers



Initial Mesh

<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>	<u>25</u>
<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>	<u>20</u>
<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>	<u>15</u>
<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>

Three Domains

#PE2

<u>21</u>	<u>22</u>	<u>23</u>	<u>24</u>
<u>16</u>	<u>17</u>	<u>18</u>	<u>19</u>
<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>
<u>6</u>	<u>7</u>	<u>8</u>	

#PE1

<u>23</u>	<u>24</u>	<u>25</u>
<u>18</u>	<u>19</u>	<u>20</u>
<u>13</u>	<u>14</u>	<u>15</u>
<u>8</u>	<u>9</u>	<u>10</u>
	<u>4</u>	<u>5</u>

#PE0

<u>11</u>	<u>12</u>	<u>13</u>		
<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>

Three Domains

t2

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

#PE1

14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>

PE#0: sqm.0: fill O's

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

#PE1

14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>

```
#NEIBPEtot
    2
#NEIBPE
    1    2
#NODE
    ○    ○
#IMPORTindex
    ○    ○
#IMPORTitems
    ○...
#EXPORTindex
    ○    ○
#EXPORTitems
    ○...
```

PE#1: sqm.1: fill O's

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

#PE1

14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>

```
#NEIBPEtot
2
#NEIBPE
0      2
#NODE
  O      O
#IMPORTindex
  O      O
#IMPORTitems
  O...
#EXPORTindex
  O      O
#EXPORTitems
  O...
```

PE#2: sqm.2: fill O's

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

#PE1

14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>

```
#NEIBPEtot
2
#NEIBPE
1      0
#NODE
      ○      ○
#IMPORTindex
      ○      ○
#IMPORTitems
      ○...
#EXPORTindex
      ○      ○
#EXPORTitems
      ○...
```

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

t2

#PE1

14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>

Procedures

- Number of Internal/External Points
- Where do External Pts come from ?
 - **IMPORTindex, IMPORTitems**
 - Sequence of **NEIBPE**
- Then check destinations of Boundary Pts.
 - **EXPORTindex, EXPORTitems**
 - Sequence of **NEIBPE**

Answer

/work/gt00/z30088/pFEM/answer/t2

go3. sh

```
#!/bin/sh
#PJM -N "test"
#PJM -L rscgrp=lecture7-o
#PJM -L node=1
#PJM -mpi proc=3
#PJM -L elapse=00:15:00
#PJM -g gt87
#PJM -j
#PJM -e err
#PJM -o test.lst

mpirexec ./a.out
```

Where do Ext Pts come from?: PE#0

#PE2

7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	


#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5

PE#0: Distributed Local Data



```
#NEIBPEtot
2
#NEIBPE
1 2
#NODE
13 8
#IMPORTindex
2 5
#IMPORTitems
9
10
11
12
13
#EXPORTindex
3 6
#EXPORTitems
4
5
8
6
7
8
```

Where do Ext Pts come from ? : PE#1

#PE2



7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	

#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5



PE#1: Distributed Local Data

#PE2

7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	

#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5

```
#NEIBPEtot
2
#NEIBPE
0 2
#NODE
14 8
#IMPORTindex
3 6
#IMPORTitems
9
10
11
12
13
14
#EXPORTindex
2 5
#EXPORTitems
1
2
3
5
7
```

Where do Ext Pts come from ? : PE#2

#PE2

7 <u>21</u>	8 <u>22</u>	9 <u>23</u>	15 <u>24</u>
4 <u>16</u>	5 <u>17</u>	6 <u>18</u>	14 <u>19</u>
1 <u>11</u>	2 <u>12</u>	3 <u>13</u>	13 <u>14</u>
10 <u>6</u>	11 <u>7</u>	12 <u>8</u>	

#PE1


14 <u>23</u>	7 <u>24</u>	8 <u>25</u>
13 <u>18</u>	5 <u>19</u>	6 <u>20</u>
12 <u>13</u>	3 <u>14</u>	4 <u>15</u>
11 <u>8</u>	1 <u>9</u>	2 <u>10</u>
	9 <u>4</u>	10 <u>5</u>

#PE0

11 <u>11</u>	12 <u>12</u>	13 <u>13</u>		
6 <u>6</u>	7 <u>7</u>	8 <u>8</u>	9 <u>9</u>	10 <u>10</u>
1 <u>1</u>	2 <u>2</u>	3 <u>3</u>	4 <u>4</u>	5 <u>5</u>




PE#2: Distributed Local Data



```
#NEIBPEtot
2
#NEIBPE
1 0
#NODE
15 9
#IMPORTindex
3 6
#IMPORTitems
13
14
15
10
11
12
#EXPORTindex
3 6
#EXPORTitems
3
6
9
1
2
3
```

Where do Boundary Pts go to ?: PE#0



PE#0: Distributed Local Data

#PE2

7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	

#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5

#PE0: 4-5-8 ⇒ #PE1: 9-10-11 (4-5-8)
#PE0: 6-7-8 ⇒ #PE2: 10-11-12 (6-7-8)

```
#NEIBPEtot
2
#NEIBPE
1 2
#NODE
13 8
#IMPORTindex
2 5
#IMPORTitems
9
10
11
12
13
14
#EXPORTindex
3 6
#EXPORTitems
4
5
8
6
7
8
```


PE#1

```
#NEIBPE
0 2
#IMPORTindex
3 6
#IMPORTitems
9
10
11
12
13
14
```

PE#2

```
#NEIBPE
1 0
#IMPORTindex
3 6
#IMPORTitems
13
14
15
10
11
12
```

Where do Boundary Pts go to?: PE#1



PE#1: Distributed Local Data

#PE2

7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	

#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5

#PE1: 1-2 ⇒ #PE0: 9-10 (9-10)
#PE1: 3-5-7 ⇒ #PE2: 13-14-15 (14-19-24)

```
#NEIBPEtot
2
#NEIBPE
0 2
#NODE
14 8
#IMPORTindex
3 6
#IMPORTitems
9
10
11
12
13
14
#EXPORTindex
2 5
#EXPORTitems
1
2
3
5
7
```


PE#0

```
#NEIBPE
1 2
#IMPORTindex
2 5
#IMPORTitems
9
10
11
12
13
```

PE#2

```
#NEIBPE
1 0
#IMPORTindex
3 6
#IMPORTitems
13
14
15
10
11
12
```

Where do Boundary Pts go to ?: PE#2



PE#2: Distributed Local Data

#PE2

7 21	8 22	9 23	15 24
4 16	5 17	6 18	14 19
1 11	2 12	3 13	13 14
10 6	11 7	12 8	

#PE1

14 23	7 24	8 25
13 18	5 19	6 20
12 13	3 14	4 15
11 8	1 9	2 10
	9 4	10 5

#PE0

11 11	12 12	13 13		
6 6	7 7	8 8	9 9	10 10
1 1	2 2	3 3	4 4	5 5

#PE2: 3-6-9 ⇒ #PE1: 12-13-14 (13-18-23)
#PE2: 1-2-3 ⇒ #PE0: 11-12-13 (11-12-13)

#NEIBPEtot
2
#NEIBPE
1 0
#NODE
15 9
#IMPORTindex
3 6
#IMPORTitems
9
10
11
12
13
14
15
10
11
12
#EXPORTindex
3 6
#EXPORTitems
3
6
9
1
2
3

PE#1

#NEIBPE
0 2
#IMPORTindex
3 6
#IMPORTitems
9
10
11
12
13
14

PE#0

#NEIBPE
1 2
#IMPORTindex
2 5
#IMPORTitems
9
10
11
12
13

t2

#PE2

	7	8	9	15
RECVbuf	2	1	14	13
RECVbuf	2	1	19	14
RECVbuf	2	1	24	15
RECVbuf	2	0	6	10
RECVbuf	2	0	7	11
RECVbuf	2	0	8	12
	<u>11</u>	<u>12</u>	<u>13</u>	<u>14</u>
	10	11	12	
	<u>6</u>	<u>7</u>	<u>8</u>	

#PE1

14	7	8	
<u>23</u>			
	RECVbuf	1	0
	RECVbuf	1	0
	RECVbuf	1	0
	RECVbuf	1	2
	RECVbuf	1	2
	RECVbuf	1	2
13			
<u>18</u>			
12			
<u>13</u>			
11	1	2	
<u>8</u>	<u>9</u>	<u>10</u>	
	9	10	
	<u>4</u>	<u>5</u>	

#PE0

	11	12	13	
	<u>11</u>	<u>12</u>	<u>13</u>	
	6	7	8	9
	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>
RECVbuf	0	1	9	9
RECVbuf	0	1	10	10
RECVbuf	0	2	11	11
RECVbuf	0	2	12	12
RECVbuf	0	2	13	13
			4	5
			<u>4</u>	<u>5</u>